




NEMOLIGHT

LED AQUARIUM LIGHT



INTRODUCING



DEAR CUSTOMER,

WELCOME TO NEMOLIGHT LIMITED.

NEMOLIGHT IS A PROFESSIONAL MANUFACTURER OF LED AQUARIUM LIGHTS IN SHENZHEN, CHINA.

WE HAVE A GREAT TEAM TO PROVIDE HIGH QUALITY PRODUCTS, OUTSTANDING DESIGN AND EXCELLENT SERVICE FOR CUSTOMERS ALL OVER THE WORLD.

THANK YOU SO MUCH TO CHOOSE NEMOLIGHT. WE CLEARLY KNOW THAT ONLY WITH CUSTOMER'S SUPPORT AND CONFIDENCE WE CAN GO FURTHER. WE PROMISE: WE WILL ALWAYS TRY TO WORK OUT BETTER PRODUCTS WITH MORE PROFESSIONAL SERVICE IN AQUARIUM FIELD, AND OUR GOAL IS "TO SATISFY EVERY CUSTOMER"!

JOIN NEMOLIGHT, ENJOY NEW LIFE!

SINCERELY,

Nemolight Limited

1 • NIIHAO

2 • EXTREME II

3 • CONTROLLER

NIIHAO

你好




AQUASCAPING

WRGB 4K HD

SAY HELLO

FEATURES

ALL ALUMINUM MODELED BODY DESIGN
HIGH QUALITY 3W (4K HD) WRGB 4-IN-1 LEDS
ADJUSTABLE SKY BRACKET INSTALLING SYSTEM
HANGING KITS IS AVAILABLE (OPTIONAL)
BLUETOOTH APP CONTROLLER (ANDROID + IOS)
4 CHANNELS, SUNRISE, SUNSET PROGRAMMABLE
NO FAN KEEP QUIET WORKING
UL, CE, KC, PSE ETC APPROVAL POWER ADAPTER
ONE-YEAR FULL WARRANTY



APP CONTROLLER



COMPATIBLE WITH IOS AND ANDROID.





NIHAO 600

MODEL NO: NH-600

LEDS QUANTITY: 72*3W (5054 - 4K HD)

POWER CONSUMPTION: 85W

LUMINOUS FLUX: 5600LM

SIZE: 600X130X130MM

WEIGHT: 3.0KG


PACKING SIZE: 650X160X160MM

SHIPPING WEIGHT: 4.0KG

BRACKET COVERAGE

MIN: 600MM

MAX: 750MM



NIHAO 900

MODEL NO: NH-900

LEDS QUANTITY: 96*3W (5054 - 4K HD)

POWER CONSUMPTION: 120W

LUMINOUS FLUX: 8200LM

SIZE: 900X130X130MM

WEIGHT: 4.0KG


PACKING SIZE: 950X160X160MM

SHIPPING WEIGHT: 5.0KG

BRACKET COVERAGE

MIN: 900MM

MAX: 1050MM




LIGHTING SHOW



WHATS IN THE BOX

- NIHAO AQUARIUM LIGHT**
- ADJUSTABLE BRACKET**
- BLUETOOTH APP CONTROLLER**
- POWER ADAPTER**
- POWER CORD**
- INSTALLATION KITS**
- USER MANUAL**





EXTREME II



FEATURES

THE ULTIMATE SIMPLICITY MAKES YOU TAKE IT EASY. The extreme series II adopts an all-aluminum body, use the diffuser panel, with full-spectrum and soft light energy, making aquatic plants lifelike. The marine version is the higher light intensity, and allows all colors to reach the highest saturation, achieving a full blue dreamy ocean.

AMAZING VIVID AND NATURAL COLOUR. PROFESSIONAL FULL HD SPECTRUM.

The extremely experience. App controller that connects you to all your NemoLight devices, easy to control and set.


APP CONTROL SYSTEMS

Building in Bluetooth App Control Module in the lights which can connects you to all your NemoLight devices, easy to control and set. There are two modules of Bluetooth (2.4G) + Broadcast (2.4G), make the connecting easy and fast. The rich settings to make the lighting become more powerful.



Dashboard: On the Dashboard, you can quickly to go the preset to set the program. And switch ON/OFF for the lighting intensity, effects, expands easily, which to help you rule all the status of your devices as system.

Control Systems: There are two modes, Auto and Manual mode with 4 channels to make varies lighting settings. Lunar, lightning, cloudy, to simulate the natural lighting for the aquarium life.

EXTREME PLANTED



EXTREME MARINE



LIGHTING SPEC

EXTREME 450



Model NO.: E-450
Size: 43.2*12*1.2CM
Aquarium: 45~60CM
Glass: 5~12mm

Power: 24W
Brightness: 1350lm
Temperature: 6500K~12000K

Version: Planted / Marine

Planted LEDs:
5730 White: 80PCS
5054 RGB: 14PCS
5730 UV: 4PCS

Marine LEDs:
5730 Blue: 80PCS
5054 RGB: 14PCS
5730 UV: 4PCS

Control: Bluetooth App
Voltage: AC110-230V
Packing: 51*13*6CM
Weight: 1.5kg

EXTREME 600



Model NO.: E-600
Size: 58.2*12*1.2CM
Aquarium: 60~80CM
Glass: 5~12mm

Power: 36W
Brightness: 1950lm
Temperature: 6500K~12000K

Version: Planted / Marine

Planted LEDs:
5730 White: 120PCS
5054 RGB: 21PCS
5730 UV: 6PCS

Marine LEDs:
5730 Blue: 120PCS
5054 RGB: 21PCS
5730 UV: 6PCS

Control: Bluetooth App
Voltage: AC110-230V
Packing: 65*13*6CM
Weight: 2.0kg

EXTREME 900



Model NO.: E-900
Size: 88.2*12*1.2CM
Aquarium: 90~110CM
Glass: 5~12mm

Power: 60W
Brightness: 3950lm
Temperature: 6500K~12000K

Version: Planted / Marine

Planted LEDs:
5730 White: 200PCS
5054 RGB: 35PCS
5730 UV: 10PCS

Marine LEDs:
5730 Blue: 200PCS
5054 RGB: 35PCS
5730 UV: 10PCS

Control: Bluetooth App
Voltage: AC110-230V
Packing: 100*13*6CM
Weight: 3.0kg

EXTREME 1200



Model NO.: E-1200
Size: 118.2*12*1.2CM
Aquarium: 120~140CM
Glass: 5~12mm

Power: 72W
Brightness: 4900lm
Temperature: 6500K~12000K

Version: Planted / Marine

Planted LEDs:
5730 White: 240PCS
5054 RGB: 42PCS
5730 UV: 12PCS

Marine LEDs:
5730 Blue: 240PCS
5054 RGB: 42PCS
5730 UV: 12PCS

Control: Bluetooth App
Voltage: AC110-230V
Packing: 130*13*6CM
Weight: 3.5kg

WHATS IN THE BOX


EXTREME II AQUARIUM LIGHT

(BUILT IN BLUETOOTH CONTROL MODULE)

ADJUSTABLE BRACKET

POWER ADAPTER

USER MANUAL





CONTROLLER

BLUETOOTH APP CONTROLLER



Application	Suit for Nihao Series
Connectivity ²	Bluetooth ^{2.4G} + Broadcast ^{2.4G}
Dimension	100*40*20 mm
Weight	0.2 Kg
Voltage	Input 12~24V, Output 12~24V
Cable Plug	Standard 5 Pin Waterproof Plug
Controls	<ul style="list-style-type: none"> Hold on 3 Seconds Factory Reset Double-Press Mode Switch Triple-Press Linkage Mode - Receiver Mode <hr/> <ul style="list-style-type: none"> White Constant Paired + Device is Online Red Constant Linkage Mode - Receiver Mode
Systems ²	iOS + Android

BUILT IN CONTROL MODULE

Controller	Built in control module
Connectivity ²	Bluetooth ^{2.4G} + Broadcast ^{2.4G}
Voltage	DC24V - 1~4A
Cable Plug	Standard 2 Pin DC 24V Cable
Controls	<ul style="list-style-type: none"> Hold on 3 Seconds Factory Reset Triple-Press Linkage Mode - Receiver Mode
Systems ²	iOS + Android

First use Press to Reset



BLUETOOTH FACTORY RESET

APP INTRO

App controller that connects you to all your NemoLight devices, easy to control and set. There are two modules of Bluetooth (2.4G) + Broadcast (2.4G), make the connecting easy and fast. The rich settings to make the lighting become more powerful.



DASHBOARD: On the Dashboard, you can quickly to go the preset to set the program. And switch ON/OFF for the lighting intensity, effects, expands easily, which to help you rule all the status of your devices as system.



CONTROL SYSTEMS: There are two modes, Auto and Manual mode with 4 channels to make varies lighting settings. Lunar, lightning, cloudy, to simulate the natural lighting for the aquarium life.



NemoLight, the NemoLight trademarks of NemoLight registered. MP007-2207-A Printed in China
© 2012~2023 NemoLight Limited. All rights reserved.